新增

标准磁力扣

普通/强吸力·双磁芯·塑胶型 侧面吸附力

磁力扣/搭扣/球形扣 /插销/撑杆









■请按步骤①~②选择型号和参数后进行订购。












代码	*	#II	材	质	表面处理		
1 (11-5	代码 类型		外壳	吸附板	外壳	吸附板	
GAFULT	*********	双磁芯	PP	0000	白色	镀彩锌	
GAFULU	普通吸力		PE	SPCC			







型号 ①代码	2 L	L ₁	L ₂	Р	Е	E1	E ₂	Н	H ₁	W	W ₁	V	吸附板数量 (PCS)	附配螺钉 (PCS)	吸引力 (kgf)	参考重量 (kg/pcs)
	41.5	49.5	33	28	16	15	9	14	4	20	30	11	1	4	2	0.026
GAFULU	50	60	41	35	18	16	9.5	16	3.5	10	20	13	2	6	2.4	0.038
	50A							10	0.0	25	38	14	1	4	2.4	0.030

型号		吸引力	参考重量
●代码	⊘ L	(kgf)	(kg/pcs)
GAFULT	38	2	0.031





代码	类	型 型	材 外売	质 吸附板	颜色 外壳	表面处理吸附板
GAFULW	强吸力	双磁芯		SPCC		
		XXIIIX/U	ABS	0,00	<u>白色</u> 吸附板	镀锌
GAFL	JLW					
35	13.8	3.5	6.2	31 1.6	_13_	Ø4.2 Ø7.2锥孔

型	. –	吸引力	参考重量		
●代码	2规格	(kgf)	(kg/pcs)		
GAFULW	35	3.5	0.02		
GAFULW	60	6			

