嘴















外・内螺纹型








①H尺寸	为六角	部的对	边尺寸。
------	-----	-----	------

型号			(PT)	(L)	d	对边间距	重量
① 代码	②No.	T 1	T ₂		d	Н	(g)
	1-1	1/8	1/8	32	5.5	22	80
外・内螺纹型	1-2	1/8	1/4	36	8	22	90
外,內縣纹型	2-2	1/4	1/4	41	8	29	170
FFJMS	2-3	1/4	3/8	43	11	29	190
	3-3	3/8	3/8	49	11	35	290


型号	Rc (PT)	(L)	对边间距	重量	
① 代码	2 No.	T 1	T ₂		Н	(g)
	1-1	1/8	1/8	24	22	65
内・内螺纹型	1-2	1/8	1/4	24	22	65
	2-2	1/4	1/4	30	29	140
FFJFS	2-3	1/4	3/8	30	29	140
	3-3	2/0	2/0	25	25	240





型号		€No. Rc	Rc (PT)	В	-	Е	G	н	F	MA	d	d1	h	w	附属螺栓
● 代码	2 D	ONO.	NC(FT)	ь	_	_	G	п		IVIA	u	ui		**	PII加斯冯尔丁工
	8	H V	_	12	27	11	16	7	10	M3	3.5	6.5	3.5	1	M3 — 8
FFAT	10	H V		16	30	13.5	16.5	8.5		M4	4.5	8	4.5	1.5	M4 -10
FFAI	12	H V	1/8	18	40	15	25	10	16	M4	4.5	8	4.5	1.5	M4 -10
	15	H V	1/4	22	52	19	33	13	22	M5	5.5	9.5	5.5	1.5	M5 —15





	土っ	
	① 代码	❷No.
		1
	FFBT	2
		1-1
		1-2

- - - - - - - - -